

Isabel L. Nunes *Editor*

Advances in Human Factors and Systems Interaction

Proceedings of the AHFE 2020 Virtual
Conference on Human Factors and
Systems Interaction,
July 16–20, 2020, USA

Isabel L. Nunes
Editor

Advances in Human Factors and Systems Interaction

Proceedings of the AHFE 2020 Virtual
Conference on Human Factors and Systems
Interaction, July 16–20, 2020, USA

Editor

Isabel L. Nunes
Dept Engg. Mecanica e Industrial
Universidade Nova de Lisboa
Caparica, Portugal

ISSN 2194-5357 ISSN 2194-5365 (electronic)
Advances in Intelligent Systems and Computing
ISBN 978-3-030-51368-9 ISBN 978-3-030-51369-6 (eBook)
<https://doi.org/10.1007/978-3-030-51369-6>

© The Editor(s) (if applicable) and The Author(s), under exclusive license
to Springer Nature Switzerland AG 2020

This work is subject to copyright. All rights are solely and exclusively licensed by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

This Springer imprint is published by the registered company Springer Nature Switzerland AG
The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

Contents

Management of Productivity in Smart Manufacturing and Industry 4.0	
Optimizing Inspection Process Severity by Machine Learning Under Label Uncertainty	3
Lukas Schulte, Jacqueline Schmitt, Florian Meierhofer, and Jochen Deuse	
The Use of AI-Based Assistance Systems in the Service Sector: Opportunities, Challenges and Applications	10
Maike Link, Claudia Dukino, Walter Ganz, Karin Hamann, and Kathrin Schnalzer	
Achievements and Opportunities of Digitalization in Productivity Management	17
Tim Jeske, Marlene Würfels, Frank Lennings, Marc-André Weber, and Sascha Stowasser	
How to Configure Assembly Assistance Systems – Results of a Laboratory Study	25
Sven Bendzioch and Sven Hinrichsen	
Operating Assistance System for Machine Tools	32
Alexander Mattes and Thore Gericke	
Human-Robot-Collaboration in the Context of Productivity Development and the Challenges of Its Implementation: A Case Study	38
Yannick Peifer, Marc-André Weber, Tim Jeske, and Sascha Stowasser	
App Development via Low-Code Programming as Part of Modern Industrial Engineering Education	45
Benjamin Adrian, Sven Hinrichsen, and Alexander Nikolenko	

Competencies and Culture for Smart Manufacturing and Industry 4.0	
Leadership and Corporate Culture as Key Factors for Thriving Digital Change	55
Martina Frost, Tim Jeske, and Nicole Ottersböck	
Systematic Competence Building as a Success Factor for Establishing Hybrid Business Models	62
Nicole Ottersböck, Martina Frost, Tim Jeske, and Veit Hartmann	
How to Teach Digital Tools for Process Automation in Industrial Engineering Education	69
Alexander Nikolenko, Frederic Meyer, and Sven Hinrichsen	
Evaluation of Augmented Reality Technologies in Manufacturing – A Literature Review	75
Tanja Zigart and Sebastian Schlund	
Organizational Justice: Does “IT” Matter? Empirical Analysis of the Influence of Information Technology on Employee Justice Perceptions	83
Maud Adjeley Ashong Elliot and Reginald Arthur	
Security and Crises Management	
Design of Disaster Management Intelligent System – A Review of the Applied UCD Methods	93
Mário Simões-Marques, Anacleto Correia, and Isabel L. Nunes	
A Programmable Coprocessor Model of Human Cognition: Implications for Human Factors, Systems Interaction, and Healthcare	100
John N. Celona	
Developing a Serious Game to Support Disaster Management Preparedness - A Design Thinking Approach	108
Mário Simões-Marques, Duarte Moreno, and Anacleto Correia	
Virtual Reality in Support of Maritime Rescue Training	116
Anacleto Correia, Mário Simões-Marques, and Tiago Luzes	
Automatic Classification of Incidents in Coastal Zones	123
Anacleto Correia, Mário Simões-Marques, and Rafael Graça	
Human-Systems Design	
Economic Implications of Innovative Visual Guidance System for Crane Cabins	133
Vesna Spasojevic Brkic, Nikola Dondur, Aleksandar Brkic, and Martina Perisic	

**Principles for Human-Centered System Design in Industry
4.0 – A Systematic Literature Review 140**
Maximilian Zarte, Agnes Pechmann, and Isabel L. Nunes

**Employees Perception of the Implementation of Information
Technology Systems in the Ghanaian Public Sector 148**
Mohammed-Aminu Sanda

**Research on Eye Movement Parameters of Command and Control
System Operator Based on Emma Model. 156**
Ning Li, Tuoyang Zhou, Jinshou Shi, Ziang Chen, Jincal Huang,
and Yanghe Feng

**Green Work Environments and Workforce Productivity Among
Energy Organizations in Ghana 163**
Rufai Haruna Kilu and Mohammed-Aminu Sanda

Assistive Technologies, Affordance and Accessibility

**Using High Fidelity Interactive Prototypes for Effective
Communication to Create an Enterprise Mobile Application 173**
Soo Yun Kim and Youn Lee

**No, We’re Driving! Steer or Be Steered. How to Keep UX Front
and Center During a Vendor’s Demo. 179**
Phyllis Mancino and Sandy Bjorkback

**What Am I Looking for? Improving User Sentiment by Enhancing
Search and the Overall End User Experience
in the Mobile Environment 185**
Soo Yun Kim, Claude Elie, and Jon G. Temple

Evaluation of Open Source Mobile Phone Weather Applications 192
Katuska Alexandrino, Jorge-Luis Pérez-Medina, Patricia Acosta-Vargas,
Mario Gonzalez, and Rasa Zalakeviciute

**Accessibility Assessment of Mobile Meteorological Applications
for Users with Low Vision 199**
Patricia Acosta-Vargas, Belén Salvador-Acosta, Rasa Zalakeviciute,
Katuska Alexandrino, Jorge-Luis Pérez-Medina, Yves Rybarczyk,
and Mario Gonzalez

The Portable Document Format: An Analysis of PDF Accessibility 206
Patricia Acosta-Vargas, Mario Gonzalez, Maria Rosa Zambrano,
Ana Medina, Noah Zweig, and Luis Salvador-Ullauri

Web Accessibility Analysis of a Tele-Rehabilitation Platform: The Physiotherapist Perspective	215
Patricia Acosta-Vargas, Belén Salvador-Acosta, Mario Gonzalez, Jorge-Luis Pérez-Medina, Gloria Acosta-Vargas, Karina Jimenes-Vargas, and Yves Rybarczyk	
Interactive Storytelling Books for Fostering Inclusion of Children with Special Needs	222
Janio Jadán-Guerrero, Sandra Sanchez-Gordon, Patricia Acosta-Vargas, Cleofe Genoveva Alvites-Huamaní, and Isabel L. Nunes	
Improve Accessibility and Visibility of Selected University Websites . . .	229
Patricia Acosta-Vargas, Carlos Ramos-Galarza, Luis Salvador-Ullauri, Gabriel Elías Chanchí, and Janio Jadán-Guerrero	
Toward Accessible Mobile Application Development for Users with Low Vision	236
Patricia Acosta-Vargas, Luis Serrano-Costales, Luis Salvador-Ullauri, Isabel I. Nunes, and Mario Gonzalez	
Model for Generation of Profiles for Persons with Disabilities in e-Learning Environments	242
Sandra Sanchez-Gordon, Janio Jadán-Guerrero, Hugo Arias-Flores, and Isabel L. Nunes	
Speech Training System for Hearing Impaired Individuals Based on Automatic Lip-Reading Recognition	250
Yuanyao Lu, Shenyao Yang, Zheng Xu, and Jingzhong Wang	
Contributions to Improve Accessibility and Usability of Academic Journal Management Systems. Case Study: OJS	259
Hugo Arias-Flores, Tania Calle-Jimenez, Sandra Sanchez-Gordon, and Isabel L. Nunes	
Using Expert Evaluation to Assess the Usability of an Educational Mobile Game for Cognitive Skills Training	265
Jorge-Luis Pérez-Medina, Patricia Acosta-Vargas, Carlos Sampedro, Andrés Paredes, Mayra Carrión, Marco Santórum, Ligia-Pilar Samaniego-Santillán, Verónica-Gabriela Maldonado-Garcés, Carlos Corrales-Gaitero, and Nelly-Yolanda Ortiz-Carranco	
Assessing Visual Engagement for Visuomotor Skills Rehabilitation Training in Infants	272
Pedro Dias, Ana Ferreira, Claudia Quaresma, Carla Quintão, and Ricardo Vigário	

Human Systems Design in Transportation Applications

Human Systems Design Towards an Integrative Conceptual Framework 283

Didier Fass, J. M. Christian Bastien, and Franck Gechter

Assessing Cognitive Processing and Human Factors Challenges in NextGen Air Traffic Control Tower Team Operations 289

Mark Miller, Sam Holley, Bettina Mrusek, and Linda Weiland

Multimodal In-vehicle Touch Screens Interactive System’s Design and Evaluation 296

Jingyue Zheng and Wei Zhang

Using VR Generated Pedestrian Behaviors in Autonomous Vehicle Simulations 303

Christopher R. Hudson, Shuchisnigdha Deb, Christopher Goodin, and Daniel W. Carruth

Interaction Design in Educational Applications

Development of Real-Time Learning Analytics Using Scraping and Pivot Tables 311

Konomu Dobashi

Phonological Awareness Intervention and Basic Literacy Skill Development with Kiteracy-PiFo 319

Janio Jadán-Guerrero, Carlos Ramos-Galarza, María de los Angeles Carpio-Brenes, Tania Calle-Jimenez, Luis Salvador-Ullauri, and Isabel L. Nunes

Analysis of the Behavior of a User’s Sensory Mechanisms During the Interaction Processes with an Object of the New Media and Its Work System 326

Lorena Olmos Pineda and Jorge Gil Tejeda

Complex Human-System Interactions

Applying Haptics to Interactive Large Screen Displays 335

Alf Ove Braseth, Aleksander Toppe, Hans Olav Randem, and Alexandra Fernandes

Piloting the Use of an Upper Limb Passive Exoskeleton in Automotive Industry: Assessing User Acceptance and Intention of Use 342

Gabriela Ferreira, Jacqueline Gaspar, Carlos Fужão, and Isabel L. Nunes

Reliability in Extreme Isolation: A Natural Language Processing Tool for Stress Self-assessment 350
Alessandro Alcibiade, Irene Lia Schlacht, Francesco Finazzi, Massimiliano Di Capua, Giacomo Ferrario, Giorgio Musso, and Bernard Foing

Occupational Hazards in a Pathological Anatomy Service 358
Filipa Carvalho, Rita Martins, and Rui B. Melo

Architecture for a Services System Based on Sharing Economy 366
Maritzol Tenemaza, Tinoco Javier, Tapia Rodney, and Sergio Luján-Mora

The RENAULT Ergonomic Assessment Method V3: Comparing Results with the OCRA Checklist and the Strain Index Methods 374
Filipa Carvalho, Susana Silva, and Rui B. Melo

Ergonomics in Mobile Fingerprint Recognition Systems: A User Interaction Evaluation 382
Barbara Corsetti, Raul Sanchez-Reillo, and Richard M. Guest

A Life Cycle Assessment Framework-Based Method for Ergonomic Indicator Selection for Complex Human-Machine Systems 390
Aobo Wang, Beiyuan Guo, Yuan Liu, and Tiancheng Huang

Research on the Parameters of Human - Machine Interaction of Command and Control System Operator Based on Fitts Law 397
Ning Li, YingWei Zhou, Bei Zhang, Qiuyu Liu, Jincal Huang, and Yanghe Feng

Author Index 403



Reliability in Extreme Isolation: A Natural Language Processing Tool for Stress Self-assessment

Alessandro Alcibiade¹(✉), Irene Lia Schlacht², Francesco Finazzi³,
Massimiliano Di Capua⁵, Giacomo Ferrario⁶, Giorgio Musso⁴,
and Bernard Foing⁷

¹ Università di Pisa, Pisa, Italy
alessandro.alcibiade@marsplanet.org

² HMKW University and PoliMi, Milan, Italy
schlacht@mailbox.org

³ E-Campus Milano, Milan, Italy
francescofinazzi5@gmail.com

⁴ Thales Alenia Italy, Milan, Italy
Giorgio.Musso@thalesaleniaspace.com

⁵ University of Rome, Rome, Italy
maxdicapua@gmail.com

⁶ Università degli studi di Pavia, Pavia, Italy
giacomo.ferrario01@gmail.com

⁷ ILEWG at ESTEC ESA, Noordwijk, The Netherlands
Bernard.Foing@esa.int

Abstract. Life in isolation is a condition that affects more people every day. From isolation of people in case of an epidemic (Ebola, Coronavirus, ..) to mineworkers or scientist in the Antarctic environment, it is currently well established that extreme isolation is a stressor element which negatively affects human creating stress and social conflict. Living in outer space is one of the most extreme forms of isolation that can be used as a test bench for isolation research. Crews in space are expected to be able to manage independently stress and social conflict problems to be highly reliable and autonomous. Human natural language (NL) has the potential of being a valuable source of information on crew-members stress and reliability in isolation. Based on the use of NL, the PSI (Performance and Stress in Isolation) research group is developing an Artificial Intelligent tool for the autonomous monitoring of stress and reliability. In order to develop this tool, the first step (here presented) is to investigate the correlation of NL with stress and reliability within the PSI experiment. The experiment consisted of three tasks to be performed periodically during the isolation: 1. Analysis of free written communication (NL); 2. Short self-reference questionnaire; and 3. Detection of heart rate and blood pressure values. In this paper we present the preliminary data collected from 29 participants (17 males and 12 females) to 6 space analogue missions accomplished in Europe, the USA and Israel in the 2016 – 2019 time frames. That is, so far, the largest database ever analyzed of this kind. The results are coherent with what is described in the literature about NLP content and style analysis, with the novelty of the correlations found with the cardiovascular parameters, thus reinforcing the

perspective of applying a NLP AI system for supporting stress management in extreme isolation contexts from Space to Earth spin off.

Keywords: Human factors · Human-systems integration · Cognitive neurosciences · Natural language processing · Artificial intelligence · Space psycho-physiology · Space spin off

1 Introduction

In every mission isolation is a stressor element which negatively affects human behaviour, mood and cognitive performances, creating stress and social conflict. Living in outer space is one of the most extreme form of isolation that can be used as test bench for spin off of isolation research on Earth. Future crewed long lasting space missions Beyond Low Earth Orbit (BEO) pose danger and challenges not previously faced by any human explorer. Not only would the trip's length far exceed any previous mission but the crew members would also experience significant communication delays, endure lengthy periods of inactivity punctuated by crises and they would lose sight of the Earth as they journey towards deep space. The effects of these unique circumstances on astronauts are still not completely described but they will likely test human psycho-physiological limits like never before and the importance of being able to self-monitoring the psychological and physiological factors will be crucial to their success [1].

In particular the relative lack of human factors data Behind Eath Orbit (BEO) creates a significant difficulty in understanding what the problems are and how to address them in the context of a crewed mission with associated constraints. What is already well described into the scientific literature is how "extreme" environmental stimuli give origin to an adaptive response, which comprehends systemic and behavioural changes aimed to develop the best homeostatic capability of the individual, thus increasing his survival chances. These adaptive changes are produced by chemical mediators, such as adrenalin, glucocorticoids, growth hormone and cytokines, that act on specific receptors localized in different organs. Chronic stress can produce the so called allostatic state, characterized by an increased activity of the mediators on their target cells that leads to receptor desensitization and tissue damages, thus connoting the allostatic load [2]. This may cause dramatic consequences, all detrimental in the operating scenario of a crewed space mission that include insomnia, depression, cognitive impairment and various cardiovascular diseases.

Because of all those assumptions it is now well established that crewed missions BEO are expected to be highly autonomous and automated in order to improve the human factor on the overall outcome of the mission and also, because of the communication delay with the earth station that imposes the spacecraft to be as self-reliant as possible in the accomplishment of its tasks. From these findings comes the need to design and implement more advanced systems of Artificial Intelligence (AI) and human-computer interfaces on board future spaceships. An effective and innovative human-computer interface cannot do without the implementation of the possibility of making astronauts communicate with AI in the most spontaneous way for humans:

natural language. The branch of computer science that deals with “teaching” AI machines how to effectively communicate in the natural language of humans is called Natural Language Processing (NLP).

Other than just potentially being a very effective human-machine interface, human natural language has the potential of being a valuable source of information regarding crew-members psycho-physiological well-being, stress and reliability. In fact, it has been well known for more than a century that psychological states and processes are encoded in verbal behavior and psychological constructs may be reliably explored by text analysis [3, 4]. A multitude of studies indicate the existence of a strong correlation between the variation of the word spectrum used in an individual’s daily vocabulary in a given period and the variation in his level of physiological and psychological stress [5–7]. The aim of this study was to investigate the prospect of using NLP to monitor the psychological wellbeing and stressful conditions of personnel undergoing prolonged missions in Isolated and Confined Environments (ICEs). NLP is a theory-motivated range of computational techniques for the automatic analysis and representation of human language [8]. The history of NLP began in the 1950s as the intersection of artificial intelligence and linguistics [8]. In recent years, increases in computing power have led to the development of sophisticated machine learning algorithms that allow researchers to analyze enormous quantities of biomedical data to detect covered patterns [9]. These developments have brought back the growing of the studies of human Natural Language from a psychometric perspective, consequently directing the progression of NLP algorithms as a diagnostic tool for psychiatric and psychological disorders based on the analysis of written and spoken language [10].

The studies of potential space applications of Natural Language Processing (NLP) have been pioneered by the Russian IBMP research group led by Prof. Vadim Gushim, who analyzed texts extracted from Space Stations (MIR and ISS) and Analogue Missions (MARS500 and MARS105) crews communications with the respective ground controls. A computerized content analysis of written daily reports of the MARS105 experiment crew (IBMP, Moscow, 2009) revealed different tendencies in communicating behaviour. A stress-related strategy was “closing the communication channel” [11], which was found to correlate with elevated urinary cortisol level. These results suggest as both language use and somatic markers can have a diagnostic value in identifying stressful conditions and changes thereof.

Current NLP analyses typically consist of both a content analysis assessing what a subject says and a style analysis evaluating how subjects express themselves. So far, the strongest associations according the scientific literature regarding content analysis have identified in the first-person singular personal pronouns the strongest NLP content indicator of depressive mood [12]. Adjectives and adverbs expressing negative emotions are found to be strongly linked to depressive mood and suicidal thoughts [13, 14]. Regarding style analysis, it has been found that individuals with suicidal thoughts, anxiety or depressive mood tend to use more absolutist words than the general population, thus expressing ideas of certainty [12].

This study explores the possibility to use the NLP to identify language markers that could be of diagnostic value in assessing crew-members psychological wellbeing and stress. Moreover for the first time in literature, it looks for new correlations among: NLP-markers and known stress related cardio-vascular parameters such as Heart Rate,

and NLP-markers and a self-reference psychometric short questionnaire. Those findings could prospectively lead to the development of an AI learning tool to monitor remotely and non-invasively not only the astronauts' wellbeing and cognitive performance status in future missions BEO but also on different spin off isolation context on Earth.

2 Materials and Methods

The PSI (Performance & Stress in Isolation) experiment aims to analyze stress levels during extreme missions without intrusive instruments. It has received the approval of the Ethics Committee of the Pope Giovanni XXIII Hospital in Bergamo on 11 August 2017. In this paper, the preliminary data collected from 29 participants (17 males and 12 females) to 6 space analogue missions (Figs. 1 and 2) accomplished among Europe, the USA and Israel in the 2016–2019 time frames, are presented. That is, as yet, the largest database ever analyzed of this kind.



Fig. 1. Astronaut simulation, Female crew mission. (c) Dr. M. Musilova, EMMIHS 2019 (ILEWG EuroMoonMars-International Moonbase Alliance- HISEAS)




Fig. 2. HI SEAS space simulation base in Hawaii. (c) EMMIHS 2020 (ILEWG EuroMoonMars-International Moonbase Alliance- HISEAS)

The core of the PSI experiment consisted of three tasks to be performed periodically during the isolation:

1. Short text collection, to be analyzed through a NLP software. Every crew member was asked to write in a maximum of 30 min a text with a maximum of 500 words in his mother tongue (e.g. diary collection or daily and official mission report if not affected by a strong imposed structure).
 - a. Short self reference questionnaire, to assess subjects' perceived psychological stress levels. It consisted of the following three questions:
 - b. Q1: "How stressed do you feel today?" (from low:1 to high:10);
 - c. Q2: "How well were you able to perform today?" (from low:1 to high:10);
 - d. Q3: "How comfortable do you feel today?" (from low:1 to high:10).
2. Detection of Heart Rate (HR) and Blood Pressure (systolic, diastolic and mean arterial pressure) values, as markers of subjects physiological stress levels. The measurements were taken using an OMRON M3 device, provided to every crew, and crew members were instructed to measure the parameters according to the latest American Heart Association recommendations that at least two readings be taken, with a one-minute interval between them and the average of the measurements recorded.

For each subject the written texts were categorized based on the editing date and time spent in isolation and according to the subject's gender and mother tongue as well. This research relied on the use of two content analysis software tools. One is an Italian tool specifically tailored to this scope. The second tool is LIWC (Linguistic Inquiry and Word Count), developed by the Pennebaker Lab [15].

The data was analyzed using standardized z-score output of linguistic markers from LIWC software as well as using our own specifically tailored software which provides two variables not considered by the LIWC software: the number of Different Words in a text (DW, assumed to be an index of verbal fluency) and the number of Average Characters per Word in a text (CW, assumed to be an index of verbal and cognitive complexity). A Pearson's correlation analysis was run to assess the strength of relationships between linguistic markers.

3 Results

Statistical analysis correlations were searched between the NLP parameters and the answers to the self-reference psychological questionnaire and the cardiovascular parameters. Numerous novel correlations were identified; those lead an interest for a confirmation with a larger number of subjects. Here will be illustrated the most relevant correlations (Fig. 3).




Fig. 3. Left: Scatter Plot of the First Person Plural Pronouns usage (we) and the average scoring at the first question of the self reference test (Q1) ($p = .002$, $r = .490$). Right: (right) Scatter Plot of the average number of Words per Sentence (WPS) and the Mean Arterial Pressure (MAP) values ($p = .013$, $r = -.393$).

3.1 NLP Parameters and Perceived Stress

A strong direct correlation emerged at the Person Regression analysis ($R = 0.490$, $p = 0.002$) between the frequency of *first person plural* pronouns in a text and the scoring at the first questions of the self-reference psychological test (“*How stressed do you feel today?*”). Perceived stress is thus directly correlated to the subject’s tendency to express using the *first person plural pronouns*, which is linked to a feeling of detachment, selflessness and isolation [15].

3.2 NLP and Cardiovascular Parameters

A moderate negative correlation was found between the average number of *Words per Sentence* (WPS) and the Mean Arterial Pressure (MAP) values ($R = -0.393$, $p = 0.013$). WPS is considered as an indicator of subjects’ cognitive complexity [15], while the MAP is an estimation of the average blood pressure in an individual during a single cardiac cycle. It is widely described in the scientific literature the link between higher blood pressure values and chronic [16, 17], allowing us to assume that in individuals in extreme isolation higher MAP values are an physiological indicator of stress and that are negatively correlated to subjects’ cognitive performances.

4 Discussion and Conclusion

The results confirm the literatures about NLP content and style analysis, with the important novelty of the correlation hypotheses between the NLP and cardiovascular parameters. Being well assessed in the scientific literature [15, 16] how higher blood pressure values are linked to chronic stress and its complications, this finding open up the perspective of developing a NLP AI system to self-monitor not only astronauts’

psychological and cognitive well being but also of their overall psycho-physiological status with spin off applications in different isolation contexts on Earth.

Furthermore we know that the literature review is coherent in assessing that human NLP-psycho-physiological parameters correlations do not always follow the same trends within every subject, like on most parts of the human psycho-physiological phenomena [10–15]. The reason is that NLP and stress-related parameters are highly influenced by many factors such as subjects' age, cultural background, education\training, gender and length of the isolation. The implementation of NLP in a software designed to let crew members to monitor their wellbeing in isolation, cannot be based on a single rigid algorithm but should be based on a machine learning tool trained to identify the peculiar pattern followed by each parameter in a given subject.

Finally, due to the restricted number of subjects enrolled in this study, the statistical power of this analysis is low and further research is needed to confirm specific linguistic indicators of functionally prohibitive stress responses.

Acknowledgments. All the people and entities involved such as: Arch. G. Musso for setting up the session on space at AHFE, all the people involved in the space analogues simulations for their commitment in trying to push forward the frontiers of human knowledge, all the people that support the data collection on the next Antarctic missions, ILEWG, A. Kołodziejczyk of Poland Analog Astronaut Training Center, R. Sorek Abramovich of the Dead Sea and Arava Science Center in Israel, Prof. P. del Leon from University of North Dakota UND space study and the people involved on the ILEWG EuroMoonMars, Lunares, ILMAH (UND), PMARS, MDRS, D-MARS missions.

References

1. Schlacht, I.L.: Space Habitability. Tu-Berlin, Germany (2012). www.extreme-design.eu/doc/2012-PhD-Schlacht.pdf
2. McEwen, B.S.: Sleep deprivation as a neurobiologic and physiologic stressor: allostasis and allostatic load. *Metabolism* **55**, S20–S23 (2006)
3. Osgood, C.E., Walker, G.: Motivation and language behavior: a content analysis of suicide notes. *J. Abnorm. Psychol.* **59**, 58–67 (1959)
4. Freud, S.: *The Psychopathology of Everyday Life*. W.W. Norton & Co., New York (1901)
5. Allegrini, P., Grignolini, P., Palatella, L.: Intermittency and scale-free networks: a dynamical model for human language complexity. *Chaos Solitons Fractals*. **20**, 95–105 (2003)
6. Ferrer i Cancho, R.: The variation of Zipf's law in human language. *Eur. Phys. J. B* **44**, 249–257 (2005)
7. Piantadosi, S.T.: Zipf's word frequency law in natural language: a critical review and future directions. *Psychon. Bull. Rev.* **21**(5), 1112–1130 (2014)
8. Cambria, E., White, B.: Jumping NLP curves: a review of natural language processing research. *IEEE Comput. Intell. Mag.* **9**, 48–57 (2014)
9. Nadkarni, P.M., Ohno-Machado, L., Chapman, W.W.: Natural language processing: an introduction. *J. Am. Med. Inform. Assoc.* **18**(5), 544–551 (2011)
10. Tausczik, Y.R., Pennebaker, J.W.: The psychological meaning of words: LIWC and computerized text analysis methods. *J. Lang. Soc. Psychol.* **29**, 24–54 (2010)

11. Yusupova, A., Ushakov, I., Gushin, V.: Communications in long-term space flights and space simulations. Content analysis as a source of information about personality during space flight. LAMBERT Academic Publishing, Germany (2011)
12. Al-Mosaiwi, M., Johnstone, T.: Linguistic markers of moderate and absolute natural language. *Pers. Individ. Differ.* **134**, 119–124 (2018)
13. Fischer, U., McDonnell, L., Orasanu, J.: Linguistic correlates of team performance: toward a tool for monitoring team functioning during space missions. *Aviat. Space Environ. Med.* **78**, B86–B95 (2007)
14. Ramirez-Esparza, N.: The psychology of word use in depression forums in English and in Spanish: testing two text analytic approaches. Association for the Advancement of Artificial Intelligence (2015). www.cs.columbia.edu/~julia/papers/Ramirez-Esparzaetal08.pdf
15. Pennebaker, J.W., et al.: The development and psychometric properties of LIWC2015. University of Texas at Austin, Austin, TX (2015). <http://liwc.wpengine.com/>
16. Ushakov, A.V., Ivanchenko, V.S., Gagarina, A.A.: Psychological stress in pathogenesis of essential hypertension. *Curr. Hypertens. Rev.* **12**(3), 203–214 (2016)
17. Kennelly, S.P., Lawlor, B.A., Kenny, R.A.: Blood pressure and dementia: a comprehensive review. *Ther. Adv. Neurol. Disord.* **2**(4), 241–260 (2009)